

The logo for 'Argo 650' features the word 'Argo' in a bold, black, sans-serif font. The number '650' is positioned below the 'o' in 'Argo' and is rendered in a smaller, red, sans-serif font.

PRECIO SIN IVA

PRECIO STANDARD 2015

36.000,00€

CASCO

- RESINA DE POLIESTER Y FIBRAS DE VIDRIO UNI-BIDIRECCIONALES
- ACABADOS EXTERIORES EN GEL COAT BLANCO
- INTERIORES EN TOP COAT BLANCO
- CONSTRUCCION POR INFUSION Y SISTEMA "ESFERECORE"

CUBIERTA

- SANDWICH DE ESPUMA PVC
- ACABADO EXTERIOR EN GEL COAT CON ANTIDERRAPANTE
- INSERS DE POLIURETANO DENSIDAD 200
- 3 ESCOTILLAS GEBO

INTERIORES

- FABRICADOS EN CONTRAMOLDE
- MAMPAROS EN PVC LAMINADOS

ACASTILLAJE HARKEN-SPINLOCK-ANTAL

- 3206 6MM LOW FOLDING PADEYE (10 UNID.)
- 3207 6MM FOLDING PADEYE (4 UNID.)
- 2148 40MM CARBO T2 LOOP BLOCK (9 UNID.)
- 2698 18MM CARBO T18 BLOCK (11 UNID.)
- 150 CAM-MATIC BALL BEARING CAM CLEAT (10 UNID.)
- 087 TRIPLE BULLET W/BECKET (2 UNID.)
- 086 TRIPLE BULLET BLOCK (2 UNID.)
- 137 LARGE STAINLESS EYE STRAP FITS 150 CAM (12 UNID.)

- 424 MICRO CAM FLAIRLEAD (2 UNID.)
- 375 X-TREME ANGLE FAIRLEAD FOR 150 CAM (2 UNID.)
- 380 X-TREME ANGLE FAIRLEAD FOR 365 CAM (2 UNID.)
- 282 EYE STRAP FOR 280 OFFSHORE CAM (12 UNID.)
- EA/1200 S SILVER ASYMETRIC HANDLE TILLER EXTENSION FOR PRECISION HELMING 750 MM-1200 MM
- XAS0408/1 SINGLE XAS ROPE CLUTCH FOR SMALL DIAMETER LINES 4 (2 UNID.)
- XAS0408/2 DOUBLE XAS ROPE CLUTCH FOR SMALL DIAMETER LINES 4 (1 UNID.)
- XAS0408/3 TRIPLE XAS ROPE CLUTCH FOR SMALL DIAMETER LINES 4 (3 UNID.)
- 1558 MIDRANGE 4 HOLE EYE STRAP (2 UNID.)
- 2151 57MM CARBO T2 LOOP BLOCK (4 UNID.)
- 2146 29MM CARBO T2 BLOCK (2 UNID.)
- 2721.3 6M SMALL BOAT HIGH-BEAM CB SLIDE BOLT TRACK (1 UNID.)
- 2742 SET SMALL BOAT CB DOUBLE TRAVELER CONTROLS(2) (2 UNID.)
- 2735 1250 SMALL BOAT CB CAR W/TOGGLW (1 UNID.)
- 350 29MM CARBO CHEEK BLOCK (4 UNID.)
- 2145 57MM CARBO RATCHMATIC FLIP FLOP W/CAM (1 UNID.)
- 2640 40MM CARBO TRIPLE BLOCK (2 UNID.)
- 281 EYE STRAP FOR MICRO CAM (2 UNID.)
- 468 MICRO CAM-MATIC II CAM CLEAT (10 UNID.)
- 20.STA RADIAL WINCH 20 BLACK ALUM (3 UNID.)
- R07.05 (3 UNID.)
- R10.07 (3 UNID.)
- R14.10 (12 UNID.)
- R14.14 (6 UNID.)
- 805002600 HUBLOT FLUSHLINE 260/260 (1 UNID.)
- 817000000 ECOLINE HUBLOT 304/155 (2 UNID)
- XTSS0814/1 SINGLE XTS ROPE CLUTCH FOR LINES 8-14MM (2 UNID.)

JARCIA FIJA Y DE LABOR

- AG PLUS

ORZA Y BULBO

- ORZA CONSTRUIDA EN FUNDICION RECUBIERTA DE POLIESTER Y FIBRA DE VIDRIO CON ACABADO EN GEL COAT
- BULBO DE PLOMO CON ACABADO EN MASILLA EPOXY

TIMONES

- POLIESTER CON FIBRA DE VIDRIO UNI-BIDIRECCIONAL CON INTERIOR EN PVC Y ACABADO EN GEL COAT

HERRAJES

- 2 BALCONES DE POPA Y UNO DE PROA
- 2 CADENOTES EN ACERO INOXIDABLE
- GUARDAMANCEBOS SUPERIORES E INFERIORES EN CABLE DE ACERO SIN FUNDA
- 2 CADENOTES PARA OBENQUES INTERIORES EN CUBIERTA Y 2 EN INTERIOR DE ACERO
- 1 CADENOTE DE STAY EN ACERO
- 4 CADENOTES DE SOPORTE PARA PALAS DE TIMON EN ACERO
- SISTEMA ROTATORIO DE BOTALON EN ALUMINIO

